

DAFTAR PUSTAKA

- Abdulelah dan Zainal Abidin, 2007, In Vivo Anti malarial Tests of *Nigella sativa* (Black Seed) Different Extracts, *American Journal of Pharmacology and Toxicology* 2 (2): 46-50.
- Abuo-Hozafa, B.M., 2002, Effect of *Nigella sativa* L. and thymoquinone on rat platelet aggregation. *Saudi Pharmaceutical Journal*, Vol.10 (4), Hlm 167–176.
- Adamu, H.M., Ekanem, E.O., dan Bulama, S., 2010, Identification of Essential Oil Components from *Nigella sativa* Seed by Gas Chromatography-mass Spectroscopy, *Pakistan Journal of Nutrition* 9 (10): 966-967.
- Agusta, A., 2000, *Minyak Atsiri Tumbuhan Tropika Indonesia*, Penerbit ITB, Bandung, hal 29–35.
- Al-Saleh, I.A., Billedo, G., El-Doush, I.I., 2006, Levels of selenium, DL- α -tocopherol, DL- γ -tocopherol, all-trans-retinol, thymoquinone and thymol in different brands of *Nigella sativa* seeds, *Journal of Food Composition and Analysis*, Vol 19, hlm167–175.
- Al-Shabanah, O.A., Badary, O.A., Naagi, M.N., Al-Gharably, N.M., Al- Rikabi, A.C., dan Al-Bekairi, A.M., 1998, Thymoquinone protects against doxorubicin-induced cardiotoxicity without compromising its antitumor activity. *Journal of Experimental and Clinical Cancer Research*, Vol. 17, Hlm 93–198.
- Anonim^a, 2009, *Background Information on Metabolomics*, (online), (<http://www.metabolomics.bbsrc.ac.uk/background.htm>, diakses tanggal 30 september 2009).
- Anonim^b, 2009, *Biological Mass Spectrometry Centre*, (online), (http://www.ich.ucl.ac.uk/services_and_facilities/lab_services/mass_spectrometry/metabolomics/GC_MS.html, diakses pada 27 oktober 2009).
- Anonim, 2012, Chemical-Structure, (online), (<http://www.chemspider.com/Chemical-Structure.175.html?rid=a5e8c2c2-6e4e-4f23-9a3b-f2e1a3490279>, diakses pada 1 April 2012).
- Arici, M., Sagdic, O., dan Gecgel, U., 2005, Antibacterial Effect of Turkish Black Cumin (*Nigella sativa* L.) Oils, *Grasasy Aceites* Vol. 56, 259-262.

- Bamosa, A.O., Ali, B.A., dan Al-Hawsawi, Z.A., 2002. The effect of thymoquinone on blood lipids in rats. *Indian Journal of Physiology and Pharmacology*, Vol.46 (2), Hlm 195–201.
- BPOM, 2009, Mengenal Jinten Hitam sebagai Obat Bahan Alam, *Naturakos*, Vol. IV No.12.
- BPOM, 2011, Mari Minum Obat Bahan Alam Dan Jamu dengan Baik dan Benar, *InfoPOM*, Vol. 12 No. 3
- Burits, M., dan Bucar, F., 2000, Antioxidant activity of *Nigella sativa* essential oil. *Phytother. Res.*, 14: 323–328.
- Depkes RI, 1979, *Materia Medika Indonesia*, Jilid III, Departemen Kesehatan Republik Indonesia, Jakarta, hal 114.
- Depkes RI, 1995, *Informasi Simplisia Asing*, Pengawasan Obat Tradisional, Dirjen Pengawasan Obat Dan Makanan, DEPKES RI, Jakarta, hal 63-64.
- Desbrosses, G., Steinhauser, D., Kopka, J., and Udvardi, M., 2005, *Metabolome Analysis Using GC-MS*, Lotus japonicus Handbook, Chapter 4.6, (online), (www.inia.org.uy/sitios/lnl/ljh2005/udvardi4.pdf, diakses tanggal 30 september 2009).
- Dorman, H.J.D., dan Deans, S.G., 2000, Anti Microbial Agent from Plants: Antibacterial Activity of Plant Volatile Oil. *Journal of applied of microbiology* 88: 308-316
- El-Dakhakhny, M., 1963, Studies on the chemical constitution of Egyptian *Nigella sativa* L. seeds II the essential oil. *Planta Medica* Vol.11, Hlm 465–470.
- El-Dakhakhny, M., Mady, N.I., Halim, M.A., 1965, *Nigella sativa* L. Oil protects against induced hepatotoxicity and improves serum lipid profile in rats. *Arzneimittel-Forschung* Vol.50 (9), Hlm 832–836.
- El-Tahir, K.E, Ashour, M.M, Al-Harbi, M.M., 1993, The respiratory effects of the volatile oil of the black seed (*Nigella sativa*) in guinea-pigs: elucidation of the mechanism(s) of action. *Gen Pharmacol* 24:1115–1122.
- El-Tahir, K.E.H dan Bakeet D.M., 2006, The Black Seed *Nigella sativa* Linnaeus - A Mine for Multi Cures: A Plea for Urgent Clinical Evaluation of its Volatile Oil, *J T U Med Sc*; 1 (1): 1-19.

- Enomoto, S., Asano, R., Iwahori, Y., Narul, T., Okada, Y., Singab, A.N., dan Okuyama, T., 2001, Hematological Studies on Black Cumin Oil from the Seeds of *Nigella sativa* L. *Biological and Pharmaceutical Bulletin* (24): 301-310
- Fancy, S.A., dan Rumpel, K., 2008, *GC-MS-Based Metabolomics, dalam Methods in Pharmacology and Toxicology: Biomarker Methods in Drug Discovery and Development*, Humana Press, Totowa, hal 317–340.
- Ferdous, A.J., Islam, S.N., Ashan, M., Hasan, C.M., dan Ahmed, Z.U., 1992, In Vitro Antibacterial Activity Of The Volatile Oil Of *Nigella sativa* Seeds Against Multiple Drug Resistant Isolates Of *Shigella*, *V. Cholerae* and *E. coli*. *Phytother. Res.* 6, 137D140.
- Fowles, Ian A., 1994, *Gas Chromatography: Analytical Chemistry by Open Learning*, second edition, John Wiley & Sons Ltd., Chichester, England, hal 150.
- Gandjar, I.G., dan Rohman, A., 2007, *Kimia Farmasi Analisis*, pustaka pelajar, Yogyakarta. Hlm 429-430.
- Gerige, S.J, Gerige, M.K.Y., Rao, M., dan Ramanjaneyulu, 2009, GC-MS Analysis Of *Nigella Sativa* Seeds And Antimicrobial Activity Of Its Volatile Oil, *Brazilian Archives Of Biology And Technology*, Vol.52, hlm 1189-1192.
- Grote, C., Levsen, K., dan Wunsch, G., 1999, An Automatic Analyzer for Organic Compounds in Water Based on Solid-Phase Microextraction Coupled to Gas Chromatography, *Anal. Chem.*, Vol. 71 (20), Hlm 4513–4518
- Goerlich Pharma International, 2007, SPECIFICATION Egyptian Black Cumin Oil, Am Gewerbering, Germany.
- Guenther, E., 1987, *Minyak Atsiri*, diterjemahkan oleh Ketaren, S., Jilid I, 134-145, 176-180, Universitas Indonesia (UI-Press), Jakarta.
- Gunawan, D., dan Mulyani, S., 2004, ilmu obat alam (farmakognosi) jilid 1, penebar swadaya, Jakarta. Hlm 106.
- Hutapea, J.R., 1994, *Inventaris Tanaman Obat Indonesia (III)*, Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia, hal 163.
- Islam, N., Ahsan, M., Hassan C.M., dan Malek, M.A., 1989, Antifungal Activities Of The Oils Of *Nigella Sativa* Seeds, *Pakistan, J.Pharm. Sci*, Dhaka University, Bangladesh 2 (1) : 25 – 28.

- Ivankovic, S., Stojkovic, R., Jukic, M., Milos, M., Milos, M., dan Jurin, J., 2006, The Antitumor Activity of Thymoquinone and Thymohydroquinone *in vitro* and *in vivo*, *Experimental Oncol*, 28, 3, 220–224.
- Kamboj, V.P., 2000, Herbal medicine, *Current Science*, Vol. 78, No. 1
- Ketaren, S., 1985, *Pengantar Teknologi: Minyak Atsiri*, 57, 61-69, 133-144, Balai Pustaka, Jakarta, hal 49–67, 113, 239–259.
- Kim, J., Marshall, M.R., dan wei, C., 1995. Antibacterial Activity of Some Essential Oil Components Against Five Foodborne Pathogens, *Journal of Agricultural and Food Chemistry* (43): 2839-2845.
- Li, S., Han, Q., Qiao, C., Song, J., Cheng, C.L., dan Xu, H., 2008 Chemical markers for the quality control of herbal medicines: an overview, *Chinese Medicine*, 3:7.
- Mahgoub, A.A., 2003, Thymoquinone protects against experimental colitis in rats. *Toxicology Letters* 143 (2), Hlm 133–143.
- McNair, H.M., dan Bonelli, E.J., 1986, *Dasar Kromatografi Gas*, Penerjemah K. Padmawinata, Penerbit ITB, Bandung, hal 1–69.
- Mukherjee, P.K., Ponnusankar, S., Venkatesh, P., Gantait, A., dan Pal, B.C., 2010, Marker Profiling: An Approach for Quality Evaluation of Indian Medicinal Plants, *Drug Information Journal*, Vol. 45, hlm 1–14.
- Munson, J.W., 1991, *Analisis Farmasi Metode Modern*, diterjemahkan oleh Harjana dan Parwa A, Airlangga University Press, Surabaya, hal 2–43.
- Mursyidi, A., 1989, *Analisis Metabolite Sekunder*, PAU Bioteknologi Universitas Gajah Mada, Yogyakarta, hal 1–7, 71–81.
- Nader, M., El- Agamy, D.S., dan Suddek, G.M., 2010, Protective Effects of Propolis and Thymoquinone on Development of Atherosclerosis in Cholesterol-Fed Rabbits, *Egypt, Arch Pharm Res Vol 33, No 4*, 637-643.
- Natangelo, M., Tavazzi, S., Fanelli, R., dan Benfenati, E., 1999, Analysis Of Some Pesticides In Water Samples Using Solid-Phase Microextraction–Gas Chromatography With Different Mass Spectrometric Techniques, Elsevier, Vol.859 [\(2\)](#), Hlm 193–201.
- Nickavar, B., Mojaba, F., Javidniab, K., dan Amolia, M.A.R., 2003, Chemical Composition of the Fixed and Volatile Oils of *Nigella sativa* L. from Iran, *Naturforsch.* 58c, 629-631.

- Pelczar, M.J., Chan, E.C.S., dan Krieg, N.R., 1988, Control of Microorganisms, The Control Of Microorganisms by Physical Agents, *Mirobiology*, 469-509.
- Sarker, 2006, *Natural Product Isolation*, sub bab Hyphenated Techniques, second edition, Humana Press, Totowa, New Jersey, hal 261–262, 378.
- Singh, G., Marimuthu, P., De Heluani, .S., dan Catalan, C., 2005, Chemical Constituents And Antimicrobial And Antioxidant Potentials Of Essential Oil And Acetone Extract Of *Nigella Sativa* Seeds, *Journal Of The Science Of Food And Agriculture*, Vol.85 Hlm 2297–2306
- Toma, C., Simu, G.M., Hanganu, D., Olah, N., Vata, F.M.G., Hammami, C., dan Hammami, M., 2010, Chemical Composition of the Tunisian *Nigella sativa*. Note I. Profile on Essential Oil, *Farmacica*, vol.58, 4.
- Wahyono, Teguh, 2009, *25 Model Analisis Statistik Dengan SPSS 17*, PT Elex Media Komputindo, Jakarta, hal 229–230.
- Yulianti, S., dan Junaedi, E., 2006, Sembuhkan Penyakit dengan *Habbatussauda* (jinten hitam), Agromedia, jakarta.
- Zaoui, A., Cherrah, Y., Mahassini, N., Alaoui, K., Amarouch, H., dan Hassar, M., 2002, Acute and chronic toxicity of *Nigella sativa* fixed oil, *Phytomedicine* 9, 69–74.